

United States Patent and Trademark Office

W

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/519,315	12/23/2004	Gunter Hrazdjira	HRAZDJIRA-1 PCT	9094
25889 7590 11/26/2007 WILLIAM COLLARD COLLARD & ROE, P.C. 1077 NORTHERN BOULEVARD ROSLYN, NY 11576			EXAMINER	INER
			SPAHN, GAY	
			ART UNIT	PAPER NUMBER
,		3635		
		•		
			MAIL DATE	DELIVERY MODE
			11/26/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)
10/519,315	HRAZDJIRA, GUNTER
Examiner	Art Unit
Gay Ann Spahn	3635

	The MAILING DATE of this communication appears on the cover sheet with the correspondence address
requ	amendment document filed on <u>04 September 2007</u> is considered non-compliant because it has failed to meet the uirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following n(s) is required.
THE ·	FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other <u>See Continuation Sheet</u> .
	 ✓ 2. Abstract: ✓ A. Not presented on a separate sheet. 37 CFR 1.72. ✓ B. Other <u>See Continuation Sheet</u>.
	 3. Amendments to the drawings: A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d). B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. C. Other
	 □ A. A complete listing of all of the claims is not present. □ B. The listing of claims does not include the text of all pending claims (including withdrawn claims) □ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). □ D. The claims of this amendment paper have not been presented in ascending numerical order. □ E. Other:
	5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):
For	further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIM	E PERIODS FOR FILING A REPLY TO THIS NOTICE:
	Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
	Applicant is given one month , or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a <i>Quayle</i> action. If any of above boxes 1. to 4. are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.
	Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.
	Failure to timely respond to this notice will result in: Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.
	Legal Instruments Examiner (LIE), if applicable Telephone No.

10/519,315 Art Unit: 3635

CONTINUATION SHEET OF Notice of Non-Compliant Amendment (37 C.F.R. § 1.121)

Continuation of 1C Other: The examiner notes that the double-hyphens at the beginning and end of each heading/paragraph in the "Amendments to the Specification" section should be deleted as this is "old amendment format" and does not comply with "new amendment format" in 37 C.F.R. § 1.121(b) instituted in July of 2003.

Continuation of 2B Other: The examiner notes that the Abstract of the Disclosure has been interpreted to be a part of the specification for the purpose of compliance with paragraph 1 of 35 U.S.C. 112 (In re Armbruster, 512 F.2d 676, 678-79, 118 USPQ 152, 154 (CCPA 1975)) as discussed in the Manual of Patent Examing Procedure (MPEP) section 608.01(b), entitled "Abstract of the Disclosure". Therefore, the Abstract has not been amended in accordance with 37 C.F.R. 1.121 and must be amended by striking-through those words being deleted (except that five or fewer consecutive characters may be deleted by double-bracketting) and underlining those words being added as the examiner must be able to discern whether any new matter has been added to the Abstract.

Continuation of 5 Other: The examiner reminds Applicant that a complete "Amendment to the Specification" section must be submitted in a single amendment or response document because the U.S. Patent and Trademark Office cannot cut-and-paste from Applicant's responses to arrive at one complete "Amendments to the Specification"

Application/Control Number:

10/519,315

Art Unit: 3635

section. Therefore, in responding to this Notice of Non-Compliant Amendment,

Applicant should take care to present a complete "Amendments to the Specification" section.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gay Ann Spahn whose telephone number is (571)-272-7731. The examiner can normally be reached on Monday through Friday, 10:30 am to 7:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard E. Chilcot can be reached on (571)-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/519,315 Art Unit: 3635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Gay Ann Spahn Gay Ann Spahn, Patent Examiner November 14, 2007